City of San Diego Photo Enforcement System Review Final Report

CONFIDENTIAL

Submitted to:

City of San Diego Police Department

Submitted by:

PB Farradyne Inc.

In association with:

Darnell & Associates

January 14, 2002



The contents of this Interim Report are CONFIDENTIAL.

The data and information presented in the report may be shared only with persons or individuals who have executed the required Confidentiality Agreement.

TABLE OF CONTENTS

SUM	MARY	OF FINDINGS AND RECOMMENDATIONS		
1.0	INTRODUCTION			
	1.1	BACKGROUND		
		1.1.1 System Description		
		1.1.2 Method of Operation		
		1.1.3 Red Light Photo Enforcement Locations		
	1.2	REPORT ORGANIZATION		
2.0	RED	LIGHT RUNNING AND ACCIDENTS		
	2.1	RED LIGHT RUNNING VIOLATIONS BEFORE AND AFTER		
		ENFORCEMENT		
	2.2	ACCIDENTS BEFORE AND AFTER PHOTO ENFORCEMEN		
	2.3	RA/RS ACCIDENT BEFORE AND AFTER PHOTO		
		ENFORCEMENT		
		2.3.1 RA/RS Accident Rate Change By Movement Type		
		2.3.2 RA/RS Accident Rate Change By Intersection Type		
		2.3.3 Before And After RA/RS Accident Rate Change By		
		Intersection.		
	2.4	NON RA/RS ACCIDENTS BEFORE AND AFTER PHOTO		
		ENFORCEMENT		
		2.4.1 Overall Re Accident Rate Change		
		2.4.2 Average Rear End Accident Rate Change By Traffic		
		Movement		
		2.4.3 Average Rear End Accident Rate Change for Through		
		Movement Enforced Intersections		
		2.4.4 Average Rear End Accident Rate Change for Left Turn		
		Movement Enforced Intersections		
	2.5	2.4.5 Longer Run Rear End Accident Rate Change COMPARISON WITH OTHER PHOTO ENFORCEMENT		
	2.5	PROGRAMS		
	2.6	FINDINGS AND RECOMMENDATIONS		
	2.6	FINDINGS AND RECOMMENDATIONS		
3.0	PHO	O ENFORCEMENT EQUIPMENT INSTALLATIONS		
	3.1	VERIFICATION METHODOLOGY		
	3.2	VERIFICATION OF IMPROVEMENT PLANS BY LOCATION		
	3.3	WARNING SIGNS		
	3.4	LOOP PLACEMENT MEASUREMENTS		
	3.5	VEHICLE DETECTION RELATED ERRORS		
		3.5.1 Long Pitch Error		
		3.5.2 Short Pitch Error		
		3.5.3 Cosine Error		
		3.5.4 Errors Due to Acceleration Between Stop Bar and		
		Second Loop		
		•		

		3.5.5 Errors Due to Deceleration Between Stop Bar and	
		Second Loop	36
		3.5.6 Examples for the Worst Case Errors	37
	3.6	FINDINGS AND RECOMMENDATIONS FOR PHOTO	
		ENFORCEMENT EQUIPMENT INSTALLATIONS	37
4.0	CAME	ERA UNIT SETUPS	39
	4.1	METHODOLOGY FOR FIELD INSPECTIONS	39
	4.2	DATA COLLECTION PROCEDURES	40
		4.2.1 Internal Measurements	40
		4.2.2 External Measurements	41
		4.2.3 Camera Pole and Housing	41
		4.2.4 Camera Unit Information and Settings	42
	4.3	FIELD INSPECTION RESULTS	43
		4.3.1 Camera Pole and Cabinet	43
		4.3.2 Internal Camera Unit Settings	45
		4.3.3 Camera Unit Pitch Settings	50
		4.3.4 Camera Unit Delay Time Settings	51
		4.3.5 Camera Unit Minimum Speed Settings	52
		4.3.6 External Camera Unit Settings and Data	52
		4.3.7 Camera Settings and Data	53
		4.3.8 Auxiliary Flash	56
		4.3.9 Camera and Detector Operations	57
	4.4	FINDINGS AND RECOMMENDATIONS FOR CAMERA UNIT SETUPS	58
5.0		EW OF PHOTOGRAPHIC DATA	60 60
5.0	5.1	VIOLATIONS DATA BASE	60
5.0	5.1 5.2	VIOLATIONS DATA BASEDATA ANALYSIS METHOD	60 63
5.0	5.1	VIOLATIONS DATA BASEDATA ANALYSIS METHODANALYSIS OF LIGHTING/OPTICAL FACTORS	60 63 65
5.0	5.1 5.2	VIOLATIONS DATA BASE DATA ANALYSIS METHOD ANALYSIS OF LIGHTING/OPTICAL FACTORS 5.3.1 Windshield Glare	60 63 65 65
5.0	5.1 5.2	VIOLATIONS DATA BASE DATA ANALYSIS METHOD ANALYSIS OF LIGHTING/OPTICAL FACTORS 5.3.1 Windshield Glare 5.3.2 Clarity of Driver/Dark Vehicle Interiors	60 63 65 65 66
5.0	5.1 5.2 5.3	VIOLATIONS DATA BASE DATA ANALYSIS METHOD ANALYSIS OF LIGHTING/OPTICAL FACTORS 5.3.1 Windshield Glare 5.3.2 Clarity of Driver/Dark Vehicle Interiors ANALYSIS OF GEOMETRIC FACTORS	60 63 65 65 66 68
5.0	5.1 5.2 5.3	VIOLATIONS DATA BASE DATA ANALYSIS METHOD ANALYSIS OF LIGHTING/OPTICAL FACTORS 5.3.1 Windshield Glare 5.3.2 Clarity of Driver/Dark Vehicle Interiors ANALYSIS OF GEOMETRIC FACTORS 5.4.1 Driver Obstruction	60 63 65 65 66 68 68
5.0	5.1 5.2 5.3 5.4	VIOLATIONS DATA BASE DATA ANALYSIS METHOD ANALYSIS OF LIGHTING/OPTICAL FACTORS 5.3.1 Windshield Glare 5.3.2 Clarity of Driver/Dark Vehicle Interiors ANALYSIS OF GEOMETRIC FACTORS 5.4.1 Driver Obstruction 5.4.2 Vehicle And License Plate Obstruction	60 63 65 65 66 68
5.0	5.1 5.2 5.3	VIOLATIONS DATA BASE DATA ANALYSIS METHOD ANALYSIS OF LIGHTING/OPTICAL FACTORS 5.3.1 Windshield Glare 5.3.2 Clarity of Driver/Dark Vehicle Interiors ANALYSIS OF GEOMETRIC FACTORS 5.4.1 Driver Obstruction	60 63 65 65 66 68 68
6.0	5.1 5.2 5.3 5.4 5.5 5.6	VIOLATIONS DATA BASE DATA ANALYSIS METHOD ANALYSIS OF LIGHTING/OPTICAL FACTORS 5.3.1 Windshield Glare 5.3.2 Clarity of Driver/Dark Vehicle Interiors ANALYSIS OF GEOMETRIC FACTORS 5.4.1 Driver Obstruction 5.4.2 Vehicle And License Plate Obstruction ANALYSIS OF FRAMING FACTORS	60 63 65 65 66 68 68 69 70
	5.1 5.2 5.3 5.4 5.5 5.6 TRAF	VIOLATIONS DATA BASE DATA ANALYSIS METHOD ANALYSIS OF LIGHTING/OPTICAL FACTORS 5.3.1 Windshield Glare 5.3.2 Clarity of Driver/Dark Vehicle Interiors ANALYSIS OF GEOMETRIC FACTORS 5.4.1 Driver Obstruction 5.4.2 Vehicle And License Plate Obstruction ANALYSIS OF FRAMING FACTORS FINDINGS AND RECOMMENDATIONS	60 63 65 65 66 68 68 69 70
	5.1 5.2 5.3 5.4 5.5 5.6 TRAF	VIOLATIONS DATA BASE DATA ANALYSIS METHOD ANALYSIS OF LIGHTING/OPTICAL FACTORS 5.3.1 Windshield Glare 5.3.2 Clarity of Driver/Dark Vehicle Interiors ANALYSIS OF GEOMETRIC FACTORS 5.4.1 Driver Obstruction 5.4.2 Vehicle And License Plate Obstruction ANALYSIS OF FRAMING FACTORS FINDINGS AND RECOMMENDATIONS FIC ENGINEERING AND TRAFFIC OPERATIONS	60 63 65 66 68 68 69 70 72
	5.1 5.2 5.3 5.4 5.5 5.6 TRAFIMPR	VIOLATIONS DATA BASE DATA ANALYSIS METHOD ANALYSIS OF LIGHTING/OPTICAL FACTORS 5.3.1 Windshield Glare 5.3.2 Clarity of Driver/Dark Vehicle Interiors ANALYSIS OF GEOMETRIC FACTORS 5.4.1 Driver Obstruction 5.4.2 Vehicle And License Plate Obstruction ANALYSIS OF FRAMING FACTORS FINDINGS AND RECOMMENDATIONS FIC ENGINEERING AND TRAFFIC OPERATIONS OVEMENTS YELLOW CHANGE INTERVAL	60 63 65 65 68 68 69 70 72
	5.1 5.2 5.3 5.4 5.5 5.6 TRAFIMPR	VIOLATIONS DATA BASE DATA ANALYSIS METHOD ANALYSIS OF LIGHTING/OPTICAL FACTORS 5.3.1 Windshield Glare 5.3.2 Clarity of Driver/Dark Vehicle Interiors ANALYSIS OF GEOMETRIC FACTORS 5.4.1 Driver Obstruction 5.4.2 Vehicle And License Plate Obstruction ANALYSIS OF FRAMING FACTORS FINDINGS AND RECOMMENDATIONS FIC ENGINEERING AND TRAFFIC OPERATIONS OVEMENTS YELLOW CHANGE INTERVAL 6.1.1 Verification of Yellow Change Intervals	60 63 65 65 66 68 69 70 72
	5.1 5.2 5.3 5.4 5.5 5.6 TRAFIMPR	VIOLATIONS DATA BASE DATA ANALYSIS METHOD ANALYSIS OF LIGHTING/OPTICAL FACTORS 5.3.1 Windshield Glare 5.3.2 Clarity of Driver/Dark Vehicle Interiors ANALYSIS OF GEOMETRIC FACTORS 5.4.1 Driver Obstruction 5.4.2 Vehicle And License Plate Obstruction ANALYSIS OF FRAMING FACTORS FINDINGS AND RECOMMENDATIONS FIC ENGINEERING AND TRAFFIC OPERATIONS OVEMENTS YELLOW CHANGE INTERVAL 6.1.1 Verification of Yellow Change Intervals	60 63 65 65 66 68 69 70 72 74 74 75
	5.1 5.2 5.3 5.4 5.5 5.6 TRAF IMPR 6.1	VIOLATIONS DATA BASE DATA ANALYSIS METHOD ANALYSIS OF LIGHTING/OPTICAL FACTORS 5.3.1 Windshield Glare 5.3.2 Clarity of Driver/Dark Vehicle Interiors ANALYSIS OF GEOMETRIC FACTORS 5.4.1 Driver Obstruction 5.4.2 Vehicle And License Plate Obstruction ANALYSIS OF FRAMING FACTORS FINDINGS AND RECOMMENDATIONS FIC ENGINEERING AND TRAFFIC OPERATIONS OVEMENTS YELLOW CHANGE INTERVAL 6.1.1 Verification of Yellow Change Intervals 6.1.2 Longer Yellow Change Intervals	60 63 65 65 66 68 69 70 72 74 74 75 78
	5.1 5.2 5.3 5.4 5.5 5.6 TRAF IMPR 6.1	VIOLATIONS DATA BASE DATA ANALYSIS METHOD ANALYSIS OF LIGHTING/OPTICAL FACTORS 5.3.1 Windshield Glare 5.3.2 Clarity of Driver/Dark Vehicle Interiors ANALYSIS OF GEOMETRIC FACTORS 5.4.1 Driver Obstruction 5.4.2 Vehicle And License Plate Obstruction ANALYSIS OF FRAMING FACTORS FINDINGS AND RECOMMENDATIONS FIC ENGINEERING AND TRAFFIC OPERATIONS OVEMENTS YELLOW CHANGE INTERVAL 6.1.1 Verification of Yellow Change Intervals 6.1.2 Longer Yellow Change Intervals RED CLEARANCE INTERVAL	60 63 65 65 66 68 69 70 72 74 74 75 78 79
	5.1 5.2 5.3 5.4 5.5 5.6 TRAF IMPR 6.1	VIOLATIONS DATA BASE DATA ANALYSIS METHOD ANALYSIS OF LIGHTING/OPTICAL FACTORS 5.3.1 Windshield Glare 5.3.2 Clarity of Driver/Dark Vehicle Interiors ANALYSIS OF GEOMETRIC FACTORS 5.4.1 Driver Obstruction 5.4.2 Vehicle And License Plate Obstruction ANALYSIS OF FRAMING FACTORS FINDINGS AND RECOMMENDATIONS FIC ENGINEERING AND TRAFFIC OPERATIONS OVEMENTS YELLOW CHANGE INTERVAL 6.1.1 Verification of Yellow Change Intervals 6.1.2 Longer Yellow Change Intervals RED CLEARANCE INTERVAL RED LIGHT RUNNING ALTERNATIVE MEASURES 6.3.1 Enhanced Advance Warning Signs	60 63 65 65 66 68 69 70 72 74 75 78 79 79
	5.1 5.2 5.3 5.4 5.5 5.6 TRAF IMPR 6.1	VIOLATIONS DATA BASE DATA ANALYSIS METHOD ANALYSIS OF LIGHTING/OPTICAL FACTORS 5.3.1 Windshield Glare 5.3.2 Clarity of Driver/Dark Vehicle Interiors ANALYSIS OF GEOMETRIC FACTORS 5.4.1 Driver Obstruction 5.4.2 Vehicle And License Plate Obstruction ANALYSIS OF FRAMING FACTORS FINDINGS AND RECOMMENDATIONS FIC ENGINEERING AND TRAFFIC OPERATIONS OVEMENTS YELLOW CHANGE INTERVAL 6.1.1 Verification of Yellow Change Intervals 6.1.2 Longer Yellow Change Intervals RED CLEARANCE INTERVAL RED LIGHT RUNNING ALTERNATIVE MEASURES 6.3.1 Enhanced Advance Warning Signs	60 63 65 65 66 68 69 70 72 74 74 75 78 79 80

San Diego Photo Enforcement System Review

		6.3.5	Coordinated Traffic Signal Operations	81
		6.3.6	Recap	82
	6.4	TOP F	PRIORITY INTERSECTIONS FOR TRAFFIC SAFETY	
		IMPR(OVEMENTS	82
	6.5	FINDI	NGS AND RECOMMENDATIONS	82
7.0	SYST	EM PO	LICIES AND MANAGEMENT	84
	7.1	METH	HODOLOGY	84
	7.2	PHOT	O ENFORCEMENT SYSTEM OPERATIONS	84
	7.3	PHOT	O ENFORCMENT SYSTEM MAINTENANCE	86
	7.4	PUBL	IC AWARENESS AND INFORMATION	86
	7.5	PROG	SRAM COORDINATION	88
		7.5.1	Re-Engineered Photo Enforcement Equipment	
			Installations	88
		7.5.2	Public Awareness and Information Campaign	89
		7.5.3	City Design and Construction Review	
			Program Objectives	89
		7.5.4	Program Objectives	89
		7.5.5	On-Going Problem Identification and Analysis	90
		7.5.6	Traffic Safety Partnership	90
		7.5.7	Program Expansion	91

APPENDIX A RED LIGHT CAMERA SITE INSPECTION DATA
APPENDIX B PHOTO ENFORCED INTERSECTION DRAWINGS
APPENDIX C VIOLATION TREND AT PHOTO ENFORCED INTERSECTIONS
APPENDIX D PHOTO ENFORCEMENT GRACE PERIOD COMPUTATIONS

LIST OF TABLES

		Page
Table 1-1	PHOTO ENFORCEMENT LOCATIONS	4
Table 1-2	REPORT ORGANIZATION	6
Table 2-1	PHOTO-ENFORCED INTERSECTIONS	
	GROUPED BY NUMBER OF MONTHS IN OPERATION	8
Table 2-2	PHOTO-ENFORCED INTERSECTIONS GROUPED BY LEFT	
	TURN VERSUS THROUGH ENFORCEMENT AND NUMBER	
	OF MONTHS IN OPERATION	9
Table 2-3	REDUCTIONS IN RED LIGHT RUNNING VIOLATIONS AND	
	COLLISIONS FOR SELECTED PHTO ENFORCEMENT	
	PROGRAMS	21
Table 3-1	CAMERA LOOP PLACEMENT MEASUREMENTS	29
Table 3-2	MINIMUM DISTANCE FOR SPEEDING UP TO 15 MPH	36
Table 4-1	INSPECTION RECORD	39
Table 4-2	POLE TYPE MODEL AND CONDITIONS	47
Table 4-3	PHOTO ENFORCEMENT CAMERA TYPES AND	
	IDENTIFICATION	48
Table 4-4	INTERNAL CAMERA UNIT SETTINGS	49
Table 4-5	COMPARISON OF CAMERA SETUP PITCH SETTINGS	
T	AND FIELD MEASUREMENTS	51
Table 4-6	CAMERA UNIT DELAY TIME SETTINGS FOR SELECTED	
T 11 47	PHOTO ENFORCEMENT PROGRAMS	52
Table 4-7	CAMERA UNIT MINIMUM SPEED SETTINGS FOR	50
Table 4.0	SELECTED PHOTO ENFORCEMENT PROGRAMS	53
Table 4-8	EXTERNAL CAMERA UNIT SETTINGS AND DATA	54
Table 4-9	CAMERA SETTINGS	55 57
Table 4-10 Table 5-1	AUXILIARY FLASH DATADISPOSITION OF PHOTOGRAPHED VIOLATIONS	57
rable 5-1	FROM SEPTEMBER 1998 THROUGH JUNE 2001	61
Table 5-2	RECLASSIFICATION OF INTERSECTION RELATED	01
Table 5-2	FACTORS	64
Table 6-1	SUMMARY OF SIGNAL TIMING, SPEED AND SIGNAL	04
Table 0-1	CYCLES AT PHOTO-ENFORCED INTERSECTIONS	76
Table 6-2	SUMMARY OF YELLOW CHANGE INTERVALS	77
Table 6-2	RED LIGHT RUNNING DRIVER TYPES AND POSSIBLE	11
Table 0 0	COUNTERMEASURES	80
Table 6-4	SUMMARY OF SELECTED ENGINEERING	00
. 3510 0 1	COUNTERMEASURES	82
Table 7-1	PUBLIC AWARENESS AND EDUCATION CAMPAIGN	02
	ELEMENTS USED BY SELECTED PHOTO	
	ENFORCEMENT PROGRAMS	87

LIST OF FIGURES

		Page
Figure 1-1 Figure 2-1	VIEW OF PHOTO-ENFORCED INTERSECTIONOBSERVED REDUCTIONS IN RED LIGHT RUNNING	2
J	VIOLATIONSAVERAGE NUMBER OF VIOLATIONS PER MONTH	9
Figure 2-2	BY LEFT TURN VERSUS THROUGH ENFORCEMENT	10
Figure 2-3	CHANGE IN ACCIDENT RATES BEFORE AND AFTER PHOTO ENFORCEMENT BY TYPE OF ACCIDENT	11
Figure 2-4	RA/RS ACCIDENT RATE CHANGE BY TRAFFIC MOVEMENTS	12
Figure 2-5	ACCIDENT RATES FOR INTERSECTIONS WHERE THROUGH MOVEMENTS ENFORCED AND LEFT TURN	
Figure 2-6	MOVEMENTS ENFORCEDACCIDENT RATES FOR ENFORCED AND NON-ENFORCED MOVEMENTS AT INTERSECTIONS WHERE THROUGH	13
Figure 2-7	MOVEMENTS ENFORCEDACCIDENT RATES FOR ENFORCED AND NON-ENFORCED MOVEMENTS AT INTERSECTIONS WHERE LEFT TURN	13
Figure 2-8	MOVEMENTS ENFORCEDBEFORE PHOTO ENFORCEMENT ACCIDENT RATES	14
Figure 2-9	AT PHOTO-ENFORCED INTERSECTIONSAFTER PHOTO ENFORCEMENT ACCIDENT RATES	15
Figure 2-10	AT PHOTO-ENFORCED INTERSECTIONS	15
Figure 2-11	TYPESAVERAGE ACCIDENT RATES CHANGE BY TRAFFIC	16
	MOVEMENT	17
Figure 2-12	REAR END ACCIDENT RATES FOR ENFORCED AND NON-ENFORCED MOVEMENTS AT INTERSECTIONS WHERE THROUGH MOVEMENTS ENFORCED	18
Figure 2-13	REAR END ACCIDENT RATES FOR ENFORCED AND NON-ENFORCED MOVEMENTS AT INTERSECTIONS	
Figure 2-14	WHERE LEFT TURN MOVEMENTS ENFORCEDLONGER RUN REAR END ACCIDENT RATES CHANGE	19 20
Figure 3-1	LONG PITCH LENGTH ERROR	31
Figure 3-2	SHORT PITCH LENGTH ERROR	33
Figure 3-3	EXAMPLES OF POSSIBLE COSINE ERRORS	34
Figure 3-4	MINIMUM AND MAXIMUM PITCH LENGTHS OF	J 1
Ü	COSINE ERROR	35
Figure 3-5	PHOTO ENFORCEMENT ENHANCED ADVANCE	
	WARNING SIGN	38
Figure 4-1	CAMERA POLE AND HOUSING	36
Figure 4-2	CAMERA HOUSING	42
Figure 4-3	INSIDE VIEW OF CAMERA HOUSING SHOWING CAMERA UNIT	43

San Diego Photo Enforcement System Review

Figure 4-4	LOWERED HINGED POLE	44
Figure 4-5	LOWERED ELEVATOR POLE	44
Figure 4-5	EL 250 AUXILIARY FLASH	56
Figure 4-6	EL 500 AUXILIARY FLASH	56
	TYPICAL LOOP ARRANGEMENT	58
Figure 4-8	BREAKDOWN OF CITATIONS NOT ISSUED BY FACTOR	
Figure 5-1		62
Figure 5-2	PERCENT CITATIONS ISSUED BY INTERSECTION	63
Figure 5-3	AVERAGE MONTHLY NUMBER OF VIOLATIONS AND	
	CITATIONS ISSUED BY PHOTO ENFORCED	
	INTERSECTION	64
Figure 5-4	CITATIONS NOT ISSUED DUE TO WINDSHIELD GLARE	65
Figure 5-5	CITATIONS NOT ISSUED DUE TO DARK VEHICLE	
	INTERIOR	67
Figure 5-7	CITATIONS NOT ISSUED DUE TO POOR CLARITY OF	
	DRIVER	68
Figure 5-8	CITATIONS NOT ISSUED DUE TO DRIVER OBSTRUCTED	69
Figure 5-9	CITATIONS NOT ISSUED DUE TO LICENSE PLATE AND	
	VEHICLE OBSTRUCTION	70
Figure 5-10	CITATIONS NOT ISSUED DUE TO FRAMING	71
Figure 5-11	CITATIONS NOT ISSUED FOR OBSTRUCTION AND	
	FRAMING FACTORS BY TYPE OF ENFORCEMENT	72
Figure 6-1	VIOLATIONS DATA FOR SELECTED PHOTO ENFORCED	
J	INTERSECTIONS BEFORE AND AFTER YELLOW CHANGE	
	INTERVAL MODIFICATIONS	79
Figure 7-1	CURB-BASED DIGITAL PHOTO ENFORCEMENT	
J	CAMERA SYSTEM	93
Figure 7-2	OVERHEAD DIGITAL PHOTO ENFORCEMENT	
•	CAMERA SYSTEM	93